



B A S M A A

Project: Assistance for LID Feasibility / Infeasibility Criteria Report & Status Report Projects

Description: In accordance with Municipal Regional Permit (MRP) provision C.3.c.iii.(1), BASMAA submitted to the Regional Water Board on May 1, 2011, a report on the feasibility / infeasibility of infiltration, harvesting and reuse, and evapotranspiration at development sites. Regional Water Board staff provided comments in a July 12, 2011, letter. BASMAA provided a formal written response on April 30, 2012. MRP provision C.3.c.iii.(2) required MRP permittees to submit to the Regional Water Board, by December 1, 2013, a Status Report on the Application of Feasibility / Infeasibility Criteria.

This project prepared the required Status Report based on a draft outline previously prepared by a work group of the Development Committee. The project included the following tasks:

- Collect Project Data
- Document Infiltration and Rainwater Harvesting Systems
- Document of Barriers to Implementation of Current Low Impact Development (LID) Requirements
- Conduct Modeling Analyses
- Refine Future LID Implementation Efforts
- Prepare Draft and Final Status Report

* In FY 14/15, remaining budget from this project was used to conduct erosion potential modeling analyses to support development of hydromodification management standards for inclusion in the LID White Paper – a separate project.

FY: FY 10/11; FY 12/13 through FY 14/15

Overseer: Development Committee

Contracting Agency: BASMAA

Contractors: Geosyntec Consultants

Budget: FY 10/11 = \$55,994; FY 12/13 = 24,591 (\$4,713, \$9,986, and \$9,892 In-Kind from CCCWP, SMCWPPP and SCVURPPP, respectively); FY 13/14 = \$10,849 (\$5,287 In-Kind from CCCWP); * FY 14/15 = 4,438; Total = \$95,872

Status: Done

Deliverable(s): *Status Report on the Application of Feasibility / Infeasibility Criteria for Low Impact Development (December 2013)*
